30/08/2025



ComastriDistribution

Phone: +390513510702 Mail: info@comastridistribution.com



Go to product



PTU51 - Ultrasonic level transmitter

Ch. 38

Servicies

After sale servicies

Ordinary and extraordinary maintenance, installation, staff training, spare parts, calibration and calibration for measuring instruments.

The prices could be not always up to date and they don't take into account any promotional sale on the e-commerce.

0139



ComastriDistribution

Phone: +390513510702 Mail: info@comastridistribution.com



Go to product

Product description

Non-contact level measurement

Non-intrusive level measurement systems are the preferred technology for many applications and for this reason SGM-LEKTRA developed

the level/distance transmitters PTU51. These units are compact with a unique simplicity of commissioning. Calibration and transmitter configuration is possible, even remotely, thanks to a MODBUS RTU connection together with the related software for the PC, or via VLW90M

/ VLW60T display unit. The IP68 transmitter protection allows installation in underground wells.

Suitable for liquids measurement and granulates



ComastriDistribution

Phone: +390513510702 Mail: info@comastridistribution.com



Go to product

General Features

Range	0.3 ÷ 6 m	Classificazione IP	IP68
Connection	MODBUS RTU	Output	4÷20mA
Material	PP sensor body	Material	PP sensor body

The prices could be not always up to date and they don't take into account any promotional sale on the e-commerce.