

ComastriDistribution

Phone: +390513510702

Mail: info@comastridistribution.com




Go to product



VLW90M - Level control, flow rates, pump automation

0141



Servicies

After sale servicies

Ordinary and extraordinary maintenance, installation, staff training, spare parts, calibration and calibration for measuring instruments.



ComastriDistribution

Phone: +390513510702

Mail: info@comastridistribution.com



Go to product

Product description

VLW90M, a single unit suitable for different applications. Level measurements, difference between levels, open channel fl ow (hydraulic jump)

and pumps control. Different measurement functions directly settable via the keyboard. VLW90M can be connected to ultrasonic sensors and/

or to 4÷20mA level transmitters. VLW90M has been developed for the connection to 1 or 2 MODBUS sensors, but it can support up to 8 PTU.

METER,RPL81 or KTU units if externally powered. A remarkable note is the data logger on removable pen-drive, which enables the total

traceability of the measurements. It is particularly suitable for the analysis of the flow rate timing in open channel applications.



ComastriDistribution

Phone: +390513510702

Mail: info@comastridistribution.com



Go to product

General Features

Data logging	via Pen Drive USB	Output	2 analog output 4÷20mA, 2 open collector digital
			output
Input signals	2 analog input 4÷20mA; 2 digital input (max.	Input signals	2 analog input 4÷20mA; 2 digital input (max.
	24Vdc 10mA)		24Vdc 10mA)