



Comastri Distribution
Prodotti e soluzioni per l'industria S.r.l

09/09/2025

ComastriDistribution

Phone: +390513510702

Mail: info@comastridistribution.com




[Go to product](#)



VLW90M - Level control, flow rates, pump automation

0141



Servicies

After sale servicies

Ordinary and extraordinary maintenance, installation, staff training, spare parts, calibration and calibration for measuring instruments.

The prices could be not always up to date and they don't take into account any promotional sale on the e-commerce.

comastridistribution.com

Page 1/3



Product description

VLW90M, a single unit suitable for different applications. Level measurements, difference between levels, open channel flow (hydraulic jump) and pumps control. Different measurement functions directly settable via the keyboard. VLW90M can be connected to ultrasonic sensors and/or to 4-20mA level transmitters. VLW90M has been developed for the connection to 1 or 2 MODBUS sensors, but it can support up to 8 PTU, METER, RPL81 or KTU units if externally powered. A remarkable note is the data logger on removable pen-drive, which enables the total traceability of the measurements. It is particularly suitable for the analysis of the flow rate timing in open channel applications.



General Features

Data logging	via Pen Drive USB
---------------------	-------------------

Output	2 analog output 4÷20mA, 2 open collector digital output
---------------	---

Input signals	2 analog input 4÷20mA; 2 digital input (max. 24Vdc 10mA)
----------------------	--

Input signals	2 analog input 4÷20mA; 2 digital input (max. 24Vdc 10mA)
----------------------	--