




RPL81 - Radar level transmitter

0142



Servicies

After sale servicies

Ordinary and extraordinary maintenance, installation, staff training, spare parts, calibration and calibration for measuring instruments.



Product description

Non-contact liquid level sensor for continuous measurement

Compact unit for level measurement of liquids, RPL81 is unaffected by temperature fluctuations, high pressure and condensation.

Thanks to his precise signal focusing it provides a reliable and accurate measurement.

RPL81 can be easily configured by:

on-board push buttons (IP67 version only)

VL620, "display/programming module"

MODBUS RTU s/w 010F105A

BLUETOOTH + SGM Level APP

4-20mA and MODBUS outputs enable the continuous transmission of the measurement to analogical and digital acquisition systems.

Two configurable relays can be used as local alarm threshold and pumps drive/control. One relay can be programmed as operating alarm, making RPL81 suitable for unattended applications. Constructed entirely of PP, RPL81 is particularly indicated in presence of corrosive media (acid vapors) and therefore in storage tanks. Typical applications include water lifting and treatment plants as well as sea and rivers level monitoring



Comastri Distribution
Prodotti e soluzioni per l'industria S.r.l

02/05/2025

ComastriDistribution

Phone: +390513510702

Mail: info@comastridistribution.com



[Go to product](#)

General Features

Temperature	-20 to 60 °C	Range	20 mt
Classificazione IP	IP67/IP68	Output	4-20 mA
Output	4-20 mA		

The prices could be not always up to date and they don't take into account any promotional sale on the e-commerce.