

### ComastriDistribution

Phone: +390513510702

Mail: info@comastridistribution.com



Go to product



## Sound level meter 816 - Testo

0171



# Servicies

#### After sale servicies

 $Or dinary\ and\ extraordinary\ maintenance,\ installation,\ staff\ training,\ spare\ parts,\ calibration\ and\ calibration\ for\ measuring\ instruments.$ 

The prices could be not always up to date and they don't take into account any promotional sale on the e-commerce.



#### ComastriDistribution

Phone: +390513510702

Mail: info@comastridistribution.com



Go to product

## **Product description**

The Testo 816-1 Sound Level Meter is your reliable tool for noise measurement, compliant with IEC 61672-1 Class 2 and ANSI S1.4 Type 2 standards. Unlike the basic Testo 816 model, it includes a data logger for up to 31,000 measurements and PC software. Packaged in a carrying case, it's ideal for industries like occupational safety and environmental impact assessment. With customizable measurement options, you can choose between Slow or Fast modes and two frequency-weighting curves. Field calibration is possible, and the data is easily readable on the backlit display. USB connectivity and included software make data management and analysis simple.

Perfect for ensuring noise levels are within safe limits in workplaces and public spaces. Complete package includes carrying case, PC software, USB cable, calibration screwdriver, batteries, and user manual.



## ComastriDistribution

Phone: +390513510702

Mail: info@comastridistribution.com



Go to product

## **General Features**

Dimensions	272 mm x 83 mm x 42 mm	Weight	390 g
Resolution	0,1 dB	Battery life	4 x AA batteria
Temperature	Work from 0 at +40 °C	Max measure range	30 at 130 dB
Precision	±1.4 dB (at reference conditions: 94 dB, 1 kHz)	Precision	±1.4 dB (at reference conditions: 94 dB, 1 kHz)