



## ***Environmental measuring instrument testo 440***

0175



## **Services**

### **After sale services**

Ordinary and extraordinary maintenance, installation, staff training, spare parts, calibration and calibration for measuring instruments.



## Product description

The Testo 440 environmental measurement instrument simplifies your daily work with automatic probe detection and intuitive menu navigation. Compatible with up to three probes at the same time, including a Bluetooth one, a wired one, and a type K temperature probe, it's a versatile tool for various applications.

The wireless functionality allows for hassle-free measurements up to 20 meters, while USB connectivity makes data storage and report creation easy.

Ensuring maximum accuracy with digital probes, the device is also optimized for long-term air quality monitoring and comfort analysis in both labs and clean rooms.



ComastriDistribution  
Prodotti e soluzioni per l'industria S.r.l

11/05/2024

ComastriDistribution

Phone: +390513510702

Mail: [info@comastridistribution.com](mailto:info@comastridistribution.com)



[Go to product](#)

## General Features

<b>Dimensions</b>	154 mm x 65 mm x 32 mm	<b>Weight</b>	250 g
<b>Battery life</b>	3 x AA batteria (1.5 V)	<b>Temperature</b>	-20 a +50 °C
<b>Max measure range</b>	-40 a +150 °C	<b>Max measure range</b>	Temperature - TC Type K (NiCr-Ni) -200 a +1370 °C
<b>Precision</b>	$\pm 0,4$ °C (-40 a -25,1 °C) ; $\pm 0,3$ °C (-25 a +74,9 °C); $\pm 0,4$ °C (+75 a +99,9 °C); $\pm 0,5$ % del v.m. (remaining field)	<b>Precision</b>	$\pm 0,4$ °C (-40 a -25,1 °C) ; $\pm 0,3$ °C (-25 a +74,9 °C); $\pm 0,4$ °C (+75 a +99,9 °C); $\pm 0,5$ % del v.m. (remaining field)

Base price:

VAT excluded  
289.80 €

VAT included  
353.56 €

Model ref. 0560 4401

The prices could be not always up to date and they don't take into account any promotional sale on the e-commerce.