



Environmental measuring instrument testo 440

0175



Services

After sale services

Ordinary and extraordinary maintenance, installation, staff training, spare parts, calibration and calibration for measuring instruments.



Product description

The Testo 440 environmental measurement instrument simplifies your daily work with automatic probe detection and intuitive menu navigation. Compatible with up to three probes at the same time, including a Bluetooth one, a wired one, and a type K temperature probe, it's a versatile tool for various applications.

The wireless functionality allows for hassle-free measurements up to 20 meters, while USB connectivity makes data storage and report creation easy.

Ensuring maximum accuracy with digital probes, the device is also optimized for long-term air quality monitoring and comfort analysis in both labs and clean rooms.



Comastri Distribution
Prodotti e soluzioni per l'industria S.r.l

28/08/2025

ComastriDistribution

Phone: +390513510702

Mail: info@comastridistribution.com



[Go to product](#)

General Features

Dimensions	154 mm x 65 mm x 32 mm	Weight	250 g
Battery life	3 x AA batteria (1.5 V)	Temperature	-20 a +50 °C
Max measure range	-40 a +150 °C	Max measure range	Temperature - TC Type K (NiCr-Ni) -200 a +1370 °C
Precision	±0,4 °C (-40 a -25,1 °C) ; ±0,3 °C (-25 a +74,9 °C); ±0,4 °C (+75 a +99,9 °C); ±0,5 % del v.m. (remaining field)	Precision	±0,4 °C (-40 a -25,1 °C) ; ±0,3 °C (-25 a +74,9 °C); ±0,4 °C (+75 a +99,9 °C); ±0,5 % del v.m. (remaining field)

The prices could be not always up to date and they don't take into account any promotional sale on the e-commerce.