



## ***ARA O2 - Single gas detector***

0191

## ***Servicies***

### **After sale servicies**

Ordinary and extraordinary maintenance, installation, staff training, spare parts, calibration and calibration for measuring instruments.



## Product description

The ARA O2 Single Gas Detector is an affordable, wearable device offering 24 months of continuous operation. With a one-button design, it simplifies usage and alerts workers when oxygen levels exceed set safety limits. Ideal for on-site safety, confined space entry, and emergency response.



## General Features

|                     |  |                    |  |
|---------------------|--|--------------------|--|
| <b>Dimensions</b>   | 87mm x 50mm x 29mm (3.4 x 2.0 . 1.1 inch)                | <b>Weight</b>      | 92 g (3,2 Oz)  |
| <b>Battery life</b> | 3.6 Vdc, 1.65 Ah, lithium battery                        | <b>Temperature</b> | H2S, CO, SO2: -40 to 60°C O2: -30 to 60°C                |
|                     |  |                    | Humidity: 5 – 95% RH                                     |
| <b>Allarme</b>      | Acoustic: (95dB @ 10cm)                                  | <b>Allarme</b>     | Vision: LEDs   |
| <b>Allarme</b>      | Vibration: vibrator (works at $\pm 10^{\circ}\text{C}$ ) | <b>Allarme</b>     | Vibration: vibrator (works at $\pm 10^{\circ}\text{C}$ ) |