



## ***Falco TAC Diffuse - Fixed gas detector***

0193

## ***Servicies***

### **After sale servicies**

Ordinary and extraordinary maintenance, installation, staff training, spare parts, calibration and calibration for measuring instruments.



## Product description

This product is no longer in production, as it has been replaced by the Falco 2 and Falco 2 TAC products. For more information contact us at [info@comastridistribution.com](mailto:info@comastridistribution.com).

The TAC Falco fixed and diffused gas detector features an externally positioned intrinsically safe sensor for quick and easy maintenance without the need for hot work permits. Its dual certification allows for maintenance and calibration in hazardous environments without disconnecting the power. While standard models detect a wide range of VOCs, the Falco TAC specializes in detecting Total Aromatic Compounds, particularly benzene, with a detection range of 0-50 ppm. Ideal for demanding industrial settings.



## General Features

<b>Dimensions</b>	205 (h) x 180 (w) x 125 (d) mm	<b>Dimensions</b>	205 (h) x 191 (w) x 125 (d) mm
<b>Lamp</b>	10.0 eV	<b>Lamp</b>	
<b>Sensitivity</b>	0.01-50ppm	<b>Sensitivity</b>	
<b>Detector</b>	Rivelatore di fotoionizzazione	<b>Detector</b>	Rivelatore di fotoionizzazione