



Comastri Distribution
Prodotti e soluzioni per l'industria S.r.l.

31/08/2025

ComastriDistribution

Phone: +390513510702

Mail: info@comastridistribution.com



Go to product



Material thickness gauge PCE-TG 150A-ICA

0207



Services

After sale services

Ordinary and extraordinary maintenance, installation, staff training, spare parts, calibration and calibration for measuring instruments.

The prices could be not always up to date and they don't take into account any promotional sale on the e-commerce.

comastridistribution.com

Page 1/3



Product description

Material Thickness Gauge with Integrated Memory, Ultrasound Velocity Adjustment, and ISO Calibration

This material thickness gauge measures up to 300.0 mm, enabling precise thickness measurements on various homogeneous materials such as steel, aluminum, zinc, silver, and gold. It features a built-in customizable limit value alarm function. The device can visually indicate and even emit an audible signal when the measured value exceeds the set limits, making it valuable for quality control and material entry checks.

The integrated memory stores measured values, which can be easily retrieved and displayed graphically for analysis. The gauge also includes an ISO calibration report to ensure measurement accuracy.



General Features

Dimensions	163mm x 82mm x 38mm	Weight	320g
Resolution	0,01 mm per <=99,99 mm	Resolution	0,1 mm for >=100,0 mm
Range	1,00 ... 300,0 mm	Power	3 x 1.5 V AA batteries
Detector	PCE-TG 5M10d probe	Memory	1500 values
Precision	±0.5% of value + 0.05 mm	Precision	±0.5% of value + 0.05 mm