

ComastriDistribution

Phone: +390513510702

Mail: info@comastridistribution.com



Go to product



Sound Level Meter (1st Class) and Outdoor Kit PCE-430

0229





























Servicies

After sale servicies

Ordinary and extraordinary maintenance, installation, staff training, spare parts, calibration and calibration for measuring instruments.



ComastriDistribution

Phone: +390513510702

Mail: info@comastridistribution.com



Go to product

Product description

PCE-430 Class 1 Sound Level Meter with Outdoor Measurement Kit

A professional instrument for noise measurement and frequency analysis with ISO certification, a large backlit display, USB data logging, and Impulse function. Ideal for workplace noise measurement, compliance with regulations, and environmental noise monitoring. Includes UNI EN ISO 9001 Calibration Report.

PCE-4xx-EKIT Outdoor Measurement Kit

Compatible with the PCE-430 sound level meter, this kit allows for extended outdoor measurements. It includes a waterproof Peli case with wheels, charger, lead-acid batteries for 10 days of autonomy, microphone protection, tripod, waterproof charger, and GPS receiver (for PCE-432 model). Reliable measurements in any weather conditions.



ComastriDistribution

Phone: +390513510702

Mail: info@comastridistribution.com



Go to product

General Features

| Battery life | Minimum 10 hours | Range | 22 136 db(A) |
|-----------------|---|-----------|---|
| Allarme | Adjustable | Power | 4 x 1.5V AA batteries; 12V/1A power supply; |
| | | | 5V/1A USB |
| Sampling | Standard: 48 kHz; Mode LN: 20 ms | Memory | 4GB micro SD card |
| Functions | LXY(SPL), LXeq, LXYSD, LXSEL, LXE, LXYmax, | Precision | 1st Class |
| | LXYmin, LXPeak, LXN; X - Frequency Weighting: | | |
| | A, B, C, Z; Y - Time Weighting: F, S, I; N - | | |
| | Statistics in %: 1 99% | | |
| Frequency range | 3 Hz 20 kHz | Standards | GB/T3785.1-2010; GB/T3785.2-2010; |
| | | | IEC60651:1979; IEC60804:2000; |
| | | | IEC61672-1:2013; ANSI S1.4-1983; ANSI |
| | | | S1.43-1997 |
| Standards | GB/T3785.1-2010; GB/T3785.2-2010; | | |
| | IEC60651:1979; IEC60804:2000; | | |
| | IEC61672-1:2013; ANSI S1.4-1983; ANSI | | |

S1.43-1997