18/09/2025



### ComastriDistribution

Phone: +390513510702 Mail: info@comastridistribution.com



Go to product



# Control unit for flue gas analysis system - Testo 350

0238



# Servicies

#### After sale servicies

Ordinary and extraordinary maintenance, installation, staff training, spare parts, calibration and calibration for measuring instruments.

The prices could be not always up to date and they don't take into account any promotional sale on the e-commerce.



#### ComastriDistribution

Phone: +390513510702 Mail: info@comastridistribution.com



Go to product

# **Product description**

Product Description: Ideal for professional analysis of combustible gases and industrial emissions, the Testo 350 combustion analyzer performs various measurements and analyses. It stands out over time with its industrial design for heavy-duty applications and complex data acquisition.

The analyzer consists of two units: the Testo 350 control unit with a clear graphical display allows emission measurement control in various applications, while the analysis unit, sold separately, contains the technology and sensor electronics necessary for measurements.

The extension of the measuring range allows measurements without restrictions, even with high gas concentrations. Dilution is automatically activated to protect the sensor technology in case of unexpectedly high concentrations.

The Testo 350 analyzer is suitable for measuring industrial emissions from engines, burners, gas turbines, and thermal processes. Package Contents: Testo 350 control unit with battery, measurement data memory, USB interface, and Testo CANbus connector.

#### Accessories

Analyzer unit for flue gas measurement system 350 -Testo



The prices could be not always up to date and they don't take into account any promotional sale on the e-commerce.



## ComastriDistribution

Phone: +390513510702 Mail: info@comastridistribution.com



Go to product

# **General Features**

Dimensions	88mm x 38mm x 220mm	Weight	440g
Battery life	Lithium-Ion rechargeable battery pack (2600 mAh,	Battery life	5 hours (without wireless connection)
	3.7 V)		
Temperature	-5 a +45 °C	Temperature	-5 a +45 °C