



Compresspack L3000

0268

Servicies

After sale servicies

Ordinary and extraordinary maintenance, installation, staff training, spare parts, calibration and calibration for measuring instruments.



Product description

The CompressPack is used to verify the seal integrity of plastic or metal packaging, such as doypacks, doypack refills, pouches, bags, and tubes, directly on the production line or in the laboratory. It can be used in addition to ATS tube welding testers.

Why test welds? During hot welding, defects can occur due to electrode temperatures and the presence of impurities. Performing a compression test ensures the integrity of the sample's weld, confirming the absence of leaks or micro-leaks. This test is essential to validate the proper sealing of samples.



General Features

Battery life	Long-lasting rechargeable battery (more than 24 hours)	Memory	4 GB internal (expandable to 64 GB with ?SD)
Capacity	30000 N at 6 bar	Display	Large 4.3" color touch screen display
Vacuum	Compressed air network	Application	Leak test
Application	Noise Studio Web and Desktop applications for data management and analysis	Design	Ergonomic design for one-handed operation in challenging environments
User interface	Intuitive user interface with smartphone-like gestures	Wireless connectivity	Data transfer and remote control (TBA)
Interfaces	Wi-Fi, LAN, USB-C, RS232/485	Interfaces	Wi-Fi, LAN, USB-C, RS232/485