



## ***MVI - Portable mercury vapour indicator***

0043

## ***Servicies***

### **After sale servicies**

Ordinary and extraordinary maintenance, installation, staff training, spare parts, calibration and calibration for measuring instruments.

### **Rental**

If you need this product occasionally, renting may be the most convenient solution for your business.

The prices could be not always up to date and they don't take into account any promotional sale on the e-commerce.



## Product description

The MVI is a groundbreaking mercury vapor detector that delivers results in just 3 seconds, eliminating the need for regeneration between readings. Equipped with dual UV beam technology, it offers continuous measurements in two detection ranges, ideal for monitoring TWA (Time Weighted Average) exposure limits. With an ergonomic design, audio alarms, and a large digital display, the MVI is user-friendly and highly reliable.

The package includes batteries, probe, filters, and a sturdy case, making the MVI the ultimate choice for rapid and accurate mercury vapor detection.



## General Features

<b>Dimensions</b>	H:145 mm L:295 mm P: 80 mm	<b>Weight</b>	3 kg
<b>Response time</b>	3 seconds	<b>Accuracy</b>	± 5 micrograms or ± 10% reading
<b>Battery life</b>	Up to 6 hours	<b>Temperature</b>	From 10°C to 50°C
<b>Range</b>	0.1 to 200 and 1.0 to 1999 microgram cubic meter	<b>Allarme</b>	Audible alarm factory pre-set to 20 microgram/cubic meter
<b>Power</b>	NiMH	<b>Power</b>	NiMH