30/08/2025



ComastriDistribution

Phone: +390513510702 Mail: info@comastridistribution.com



Go to product



copy of Cub - Personal VOC detector

0055



After sale servicies

Ordinary and extraordinary maintenance, installation, staff training, spare parts, calibration and calibration for measuring instruments.

The prices could be not always up to date and they don't take into account any promotional sale on the e-commerce.



ComastriDistribution

Phone: +390513510702 Mail: info@comastridistribution.com



Go to product

Product description

Cub is the smallest, lightest personal PID detector for accurate monitoring of volatile organic compounds, featuring unmatched sensitivity with a wide detection range of 1 ppb to 5,000 ppm. When exposure exceeds set limits, audible, vibrating, and flashing alarms activate. The device offers a backlit LCD display and has industry-leading speed, accuracy, and humidity resistance thanks to its patented Fence Electrode technology. Easy to upgrade and calibrate via CubDoc docking stations, it offers one-button operation and complies with ATEX and IECEx standards.

Ideal for rapid and precise gas detection.

The prices could be not always up to date and they don't take into account any promotional sale on the e-commerce.



ComastriDistribution

Phone: +390513510702 Mail: info@comastridistribution.com



Go to product

General Features

Dimensions	H:61 mm L:66 mm P:59 mm	Weight	111g
Resolution	0.01 ppm	Response time	<13 seconds
Accuracy	± 5% + 1 digit	Battery life	Battery life up to 16 hours, battery charge time 4
			hours
Data logging	30.000 readings	Temperature	From -20°C to 55°C (from -4°F to 131°F)
Lamp	10.6 eV, 10.0 eV	Sensitivity	0.001 ppm
Calibration	2 point calibration via docking station	Approvals	Europe: ATEX: CE,Ex II 1G, Ex ia IIC T4; US and
			Canadian approvals: Class I, II and III, Division I,
			Hazardous
Allarme	LEDs, audio and vibrate. Sounder 95 dB @ 300	Classificazione IP	IP65** (heavy rain)
	mm. Pre-programmed TWA & STEL.		
Classificazione IP	IP65** (heavy rain)		