



RSL200 - Powders and granulates vibrating level switches 0060

Servicies

After sale servicies

Ordinary and extraordinary maintenance, installation, staff training, spare parts, calibration and calibration for measuring instruments.



Product description

Summary: The RSL200 is a compact tuning fork level switch designed for precise monitoring of powder or granule products. It uses an electrically excited tuning fork to detect level changes, triggering an intervention command when needed.

This makes it especially effective where other sensors fail due to electrical capacitance variations or electrostatic charges. The device offers digital calibration, multiple alarm options, and SPDT relay output. It's robust with an IP66 protection rating and available in ATEX-certified versions, making it suitable for a wide range of applications.

Can be powered by either AC or DC.



ComastriDistribution
Prodotti e soluzioni per l'industria S.r.l

01/09/2025

ComastriDistribution

Phone: +390513510702

Mail: info@comastridistribution.com



[Go to product](#)

General Features

Weight	1,5 kg	Response time	1s o 4s
Temperature	From -40°C to +150°C	Allarme	Output status detection mode
Classificazione IP	IP66	Pressure	Max 25 bar
Output	Relè 250Vac 5A max	Process	1" 1/2 GAS in AISI316
Power consumption	Max. 0,5W (Vdc); max. 5 VA (Vac)	Density	Min 20g/dm3
Density	Min 20g/dm3		

The prices could be not always up to date and they don't take into account any promotional sale on the e-commerce.