

### ComastriDistribution

Phone: +390513510702

Mail: info@comastridistribution.com



Go to product



KPT - Gauge or absolute pressure transmitters

0064

# **Servicies**

After sale servicies

Ordinary and extraordinary maintenance, installation, staff training, spare parts, calibration and calibration for measuring instruments.



### ComastriDistribution

Phone: +390513510702

Mail: info@comastridistribution.com



Go to product

## **Product description**

The units of the KPT series are aimed at aqueduct applications and installations on food plants: a result particularly suitable for measurements in liquids, gases and vapors with male / female threaded connections, sanitary and vacuum clamps.

KPT is suitable for continuous liquids level measurement: typical application are waste water and deep wells. KPT is a pressure

transmitter which can be used for the liquids, gases, and vapors measurement. The small size pressure transducer offers maximum operational reliability. KPT is an inexpensive solution for many different applications in all industrial process control.

**Features** 

2-wired 4÷20mA transmitter

Pressure Classification: absolute, negative, gauge

Accuracy: on request 0.25% Heavy applications suitable Any position installable Compact transmitter



## ComastriDistribution

Phone: +390513510702

Mail: info@comastridistribution.com



Go to product

## **General Features**

Temperature	From -30°C to +120°C	Range	Gauge pressure: max. 0 ÷ 400bar (0 ÷ 40MPa),
			min. 0 ÷ 0.1bar (0 ÷ 10kPa)
Range	Absolute pressure: max. 0 ÷ 25bar (0 ÷ 2,5MPa),	Range	Negative pressure: max1 ÷ +39bar (-0.1 ÷
	min. 0 ÷ 1bar (0 ÷ 100kPa)		3,9MPa), min0.2 ÷ 0,2bar (-20 ÷ 20kPa)
Classificazione IP	IP65	Power	12÷42Vdc (2-wires)
Output	4÷20mA	Output	4÷20mA